

#	Item Description
1	<p>BIOK4600 DR Chiropractic Retrofit System (16 megapixels)</p> <p>Sensor Specifications:</p> <ul style="list-style-type: none"> • Digital Radiography Sensor - Patented • 16 megapixel array capability • Cesium Scintillator • 4.6 line pairs/millimeter resolution (0.108 mm pixel pitch) • Acquisition to display time: 10-15 seconds • 14" x 17" image size (36 cm x 43 cm) • Dynamic range: 16-bit sampling, 80 dB signal-to-noise ratio • Gray levels: >16,384 shades of gray • Fully sealed sensor, noise free (no fans, no cooling device, no moving internal parts) <p>Requirements for BIOK4600 include a client generator at client x-ray site that:</p> <ul style="list-style-type: none"> • Has a minimum 30 kW High Frequency Generator • Electrical Power Source is minimum AC Phase 1 (60 Hz) • 300 mA, 125 KVP minimum, 250 mAs maximum *No battery operated generator allowed <p>Wall Stand Specifications:</p> <ul style="list-style-type: none"> • 16 inches from wall to front of sensor; 40" distance from sensor to tube stand center required • Tilting adjustment to ±45° • Extremity view capability • Counter weighted for easy use • Safety lock
2	<p>Capture/Acquisition Workstation</p> <p>Computer Specifications:</p> <ul style="list-style-type: none"> • Computer, 8 GB DDR3 RAM • 1 HD Solid State (256GB) + SATA HD (2TB) • Windows 10 Professional • 2 network interface cards (10/100/1000) • CD/DVD write/read • Wired Internet connection to ChiroSight computer is required <p>Monitor Specifications:</p> <ul style="list-style-type: none"> • 2 megapixel monitor (1920 x 1080 resolution) • 27" Full HD size • 200 cd/m2 luminance, 8,000,000:1 dynamic contrast • Desktop mount

#	Item Description:	
3	ChiroSight Capture Software License (Capture/Acquisition Workstation)	
	Specifications:	
	• Image acquisition with emergency & workflow modes	
	• Image processing with anatomy optimization	
	• DICOM diagnostic quality	
	• Includes DICOM Server software (Query/Retrieve capability)	
4	ChiroSight Diagnostic Software Licenses (non cumulative)	
	Specifications:	
	• Chiropractic Power Tools - for measurements/line drawings/annotations	
	• Optimized for touchscreen and mouse/keyboard operation	
	• Image viewer with image contrast, measurement tools, annotations	
	• Report of Findings (ROF) Software Tool for customizable x-ray reports	
	• Image stitching to connect views for full spine	
	• Quick search/retrieve in both emergency and workflow modes	
	• Image import/export in BMP, JPEG, TF, GIF, DICOM	
	• DICOM send to external DICOM servers	
• Copy x-ray images & annotations to CD/DVD, and print-ready capabilities		
5	Warranty and Service Package Selection See 'Warranty and Services Programs' Table attached.	
6	Third Party Manufacturer's warranty on PC/monitor equipment	

Client may cancel this order anytime without penalty prior to deposit or shipping.
I, the undersigned, agree to all of the pricing, terms and conditions of this quotation.

Notes:

- 1 * Special shipping charges may apply for shipments in remote locations or for rapid delivery requests.
- 2 **Additional installation charges may apply for any custom requirements at the Purchaser's clinic site.
- 3 Installation does not include site preparation for leading of walls, electrical issues or any other site upgrades and will be the responsibility of the Purchaser. Installation to occur only on prepared sites. Purchaser to complete a ChiroSight site survey form and provide completed form to Biokinometrics and its designated dealership personnel and/or the regional installer. Installer contracted directly to clinic.
- 4 Purchaser must employ their own electricians and contractors of any discipline for any electrical, wall leading or other site modifications. Should the Purchaser not have a designated electrician or contractor, the regional installer may be able to assign one – additional administration charges may apply.

.....

Warranty for Biokinometrics Products:

BIOK 4600 DR Chiropractic System includes: 6 Year Basic Hardware & Software Support Included; 1 Year Premium Software & Support Subscription Included.

.....

Warranty for Other Manufacturers' Products:

PC manufacturer provides a 3-year parts warranty from the date of receipt by the Purchaser.

Possible Accessories that client may consider purchasing from third party vendor:

- Caliper (to measure patient)
- Small tape measure (to affix to x-ray source to measure distance 40" for extremities)
- Wooden or metal step stool (for extremity images)
- Wooden dowel & holder (for extremity images)
- Floor Mat (for extremity images)
- Battery Back-up/Surge Protector for PC